



HLCV7.EX1708 Strainers, Pipeline Certified for Canada

[Page Bottom](#)

Strainers, Pipeline Certified for Canada

[See General Information for Strainers, Pipeline Certified for Canada](#)

HELLAN STRAINER CO

EX1708

3249 E 80TH ST
CLEVELAND, OH 44104 USA

Hellan strainers with screens having standard perforations 1/8 in. diameter or optional perforations 3/32, 3/16 or 1/4 in. diameter: Types AF (single fixed screen), AH (single movable screen) in 2, 2 1/2, 3 in. sizes; DF (dual fixed screen), DH (dual movable screen) in 2, 2 1/2, 3, 4, 6, 8, 10, 12 in. sizes; Model DH also available with bodies cast of gray iron, bronze, stainless steel or carbon steel with pressure ratings of 1210, 865, 1895 and 2070 kPa, respectively. QF (quadruple fixed screen), QH (quadruple movable screen) in 14 in. size. For rated working pressures not exceeding 1210 kPa. Models with movable screens permit cleaning of strainer element while in service.

[Last Updated](#) on 2014-08-05

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".